

# Cell-Free RNA<sup>TM</sup> BCT

## A Standardized Method for Sample Collection, Stabilization and Transport of Cell-Free Plasma RNA.

Cell-Free RNA BCT is Streck's 10ml blood collection tube for preservation and stabilization of cell-free RNA in plasma for up to 3 days at ambient temperature.

The patented preservative in Cell-Free RNA BCT preserves cell-free RNA in plasma and prevents the release of non-target background RNA from blood cells during sample processing and storage.

*For Research Use Only. Not for use in diagnostic procedures.*

### Cell-Free RNA<sup>TM</sup> BCT Specifications:

Blood Draw Volume:	10.00 ml
Anticoagulant:	K <sub>3</sub> EDTA
Additive:	Proprietary Stabilizing Agent
Storage Prior to Use:	Room Temperature

Description	Catalog #
Cell-Free RNA BCT 6-Tube Pack (RUO) . . . . .	218975
Cell-Free RNA BCT 100-Tube Pack (RUO) . . . . .	218976

### Also from Streck:

#### Cell-Free DNA<sup>TM</sup> BCT

- Blood collection tube for the stabilization of cell-free plasma DNA for up to 14 days at room temperature
- Enhances stability and recovery of high-quality cell-free DNA
- *For Research Use Only. Not for use in diagnostic procedures*

#### Cyto-Chex<sup>®</sup> BCT

- Blood collection tube for preservation of whole blood specimens for immunophenotyping by flow cytometry
- Stabilize cellular antigen expression and cell morphology for up to 7 days
- Maintain sample integrity during transport from collection site to central analysis location

#### Streck Cell Preservative<sup>TM</sup>

- Liquid reagent; preserves bone marrow and tissue samples
- Stabilize cellular antigen expression and morphology for up to 7 days
- Preserve samples for immunophenotyping by flow cytometry



### Time/Labor Savings

Cell-Free RNA BCT provides a method of processing patient samples for detection and analysis of circulating cell-free RNA that requires minimal sample manipulation. Less labor-intensive and time-consuming than traditional methods of plasma sample preparation.

### Improved Logistics

Samples collected in Cell-Free RNA BCT are stable for up to 3 days at room temperature, allowing convenient sample collection, transport and storage.

### Convenient

Recover high-quality cell-free RNA suitable for a wide range of downstream applications commonly used in clinical research studies, drug discovery and diagnostic assay development.

### Consistent Results

Enhance stability and recovery of cell-free plasma RNA. Minimize variability associated with cell-free RNA sample preparation.

800.843.0912  
www.streck.com

**Streck**  
Clinical Laboratory Products You Can Count On.