



SAFETY DATA SHEET

In compliance with Globally Harmonized System of Classification and Labelling of Chemicals (GHS), Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances, Directive 98/79/EC on In Vitro Diagnostic Medical Devices and mixtures, REACH Regulation (EC) No 1907/2006 and Commission Regulation (EU) 2021/979 amendment, and U.S. OSHA Hazard Communication 29CFR1910.1200

Section 1: Product Identification

Product name: SICKLEDEX® Solubility Powder

Synonyms: N/A

CAS Number: Mixture, N/A

Product Use: Qualitative solubility test kit used to detect the presence of sickling hemoglobins in human blood or sickle cell control material.

Restrictions: Refer to Instructions for Use (IFU) for additional precautions and limitations.

Manufacturer: Streck

Address: 7002 S. 109 St,
La Vista, NE, 68128

Emergency: Business hours: 1-402-333-1982
24hr (Chem.-Tel): 1-800-255-3924

Section 2: Hazards Identification

Classification: Physical Hazards:

Self-heating substances and mixtures, category 1

Health Hazards:

Acute toxicity:

Oral, category 4

Serious eye damage/ irritation, category 2A

Specific target organ toxicity – single exposure, category 3, respiratory system

Acute aquatic toxicity, category 2

Chronic aquatic toxicity, category 2

Label Elements: Container labeling is not required on medical devices per 29CFR1910.1200(b)(5).

Symbol: Flame, exclamation point, dangerous for the environment

Signal Word: Danger

Hazard Statements:

Self-heating: may catch fire, H251

Harmful if swallowed, H302

Causes serious eye irritation, H319

May cause respiratory irritation, H335

Toxic to aquatic life with long lasting effects, H411

Precautionary Statements:

Keep cool and protect from sunlight, (P235+410). Store in a well-ventilated place away from other materials and keep container tightly closed (P233). Keep away from heat, hot surface, sparks, open flames, and other ignition sources. No smoking (P210). Maintain air gap between stacks/ pallets (P407). Refer to sections 5 and 7 for additional information.

Do not eat, drink or smoke when using the product (P270). Wear protective gloves/ protective clothing/ eye protection/ face protection (P280). Avoid breathing dust/ fume/ gas/ vapors/ spray (P261).

Use only in a well-ventilated area (P271). Wash skin thoroughly after handling (P264).

IF SWALLOWED: Rinse mouth and call a POISON CENTER or doctor/ physician if you feel unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

IF INHALED: Remove victim to fresh air and keep at a rest in a position comfortable for breathing.

Avoid release into the environment, collect spillage, and dispose of contents/ container to an approved waste disposal plant.

Other hazards:

Contact with water or acid liberates toxic gas.
Contact with water creates exothermic reaction.

Section 3: Composition

CAS #	Hazardous Component	Synonyms	% by weight
7775-14-6	Sodium Hydrosulfite	Sodium dithionite	84
8047-15-2	Saponin	N/A	< 2

Section 4: First Aid Measures

List specific first aid measures for:

- Skin Contact** – In case of skin contact, flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.
- Eye contact** – In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician.
- Ingestion** – If swallowed, wash out mouth with water; provided person is conscious. Never give anything by mouth to an unconscious person. Call a physician.
- Inhalation** - If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Consult a physician.

Most important symptoms and effects, both acute and delayed: No data available
In case of accident, or if you feel unwell, seek medical advice immediately (show the label where possible).

Indication of immediate medical attention and special treatment needed: No data available

Section 5: Fire Fighting Measures

Suitable Extinguishing media	Dry chemical powder.
Special hazards arising from the chemical	Addition of small amounts of water or temperatures above 100°C may cause self-ignition. May decompose on exposure to air and moisture. Dust potential: this material, like most materials in powder form, is capable of creating a dust explosion.
Special protective equipment and precautions for fire-fighters.	Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific Hazard(s): Flammable solid. Emits toxic fumes under fire conditions.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and emergency procedures: Avoid dust formation. Avoid breathing dust, vapors, mist or gas.

PPE needed for clean up: Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves. See section 8 for additional information.

Methods and materials for containment and cleaning up

Spill clean-up procedure: Evacuate area. Shut off all sources of ignition. Cover with dry-lime, sand, or soda ash. Place in suitable, covered containers using non-sparking tools and transport outdoors. Dispose of according to local regulations. Do not flush with water.

Follow-up guidelines: Ventilate area and wash spill site after material pickup is complete.

Section 7: Handling and Storage

Handling	User exposure: Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid prolonged or repeated exposure. Handle under nitrogen. Avoid formation of dust and aerosols.		
Storage	Keep container closed. Keep away from heat, sparks, and open flame. Store in a cool dry place. Handle and store under nitrogen.		
Temp	As indicated on packaging	Avoid	Do not allow contact with water. Avoid contact with acid.
Warnings	Air sensitive. Heat and moisture sensitive.		

Section 8: Exposure Control and Personal Protection

Control parameters: Does not contain substances with occupational exposure limit values.

Engineering control recommendations: Handle in accordance with good industrial hygiene and safety practices. Limit or avoid generation of dust while transferring contents from vial. Wash hands thoroughly after handling.

Individual protection measures:

PPE:

Respiratory: Respiratory protection is not required.

Skin: Nitrile rubber gloves.

Eye/ face: Face shield and/or safety goggles.

Additional suggestions: Wash thoroughly after handling.

Section 9: Physical and Chemical Properties

Physical State	Solid, powder	Color	White
Odor	No data available	Odor Threshold	No data available
pH	No data available	Melting/ Freezing point	No data available
Boiling point	No data available	Boiling range	No data available
Flash Point	No data available	Evaporation rate	No data available
Flammability	No data available	Upper/lower flammability	No data available
Explosive limits	No data available	Vapor pressure	No data available
Vapor density	No data available	Relative density	No data available
Solubility(ies)	No data available	Partition coefficient: n-octano/ water	No data available
Auto-ignition temperature	Self-heating, category 1	Decomposition Temperature	No data available
Viscosity	No data available		

Section 10: Stability and Reactivity

1. **Reactivity:** No data available.
2. **Chemical Stability:** Stable under recommended storage conditions.
3. **Possibility of hazardous reactions:** No data available.
4. **Conditions to avoid:** May decompose on exposure to air and moisture (moisture sensitive). Do not allow water to enter container because of violent reaction. Avoid contact with air, moisture, and heat.
5. **Incompatible materials:** Strong oxidizing agents and acids.
6. **Hazardous decomposition products:** Sulfur oxides, Sodium/sodium oxides.

Section 11: Toxicological Properties

Toxicological effects:	Acute Toxicity, Eye irritation, Specific target organ toxicity-respiratory system
Route(s) of exposure:	Skin, eye, respiratory, digestive
Symptoms:	Irritation at site of exposure (eye, respiratory.)
Delayed effects:	No data available
Immediate effects:	No data available
Chronic effects:	Short exposure: No data available Long exposure: No data available
Exposure limits	No data available
Carcinogenicity	Not listed as carcinogens or suspect carcinogens
Measures of Toxicity	No data available

Section 12: Ecological Information

Ecotoxicity:	Acute aquatic effects: LC ₅₀ Fish: <i>Leuciscus idus</i> : LC ₅₀ =10.0-100.0 mg/L/96 Hr., EC ₅₀ Daphnia: <i>Daphnia magna</i> : LC ₅₀ =10.0-100.0 mg/L/48 HR., IC ₅₀ Algae: LC ₅₀ = >100 mg/L/72 Hr.
---------------------	--

Section 13: Disposal Considerations

Contact a licensed professional waste disposal service to dispose of this material. Burn in a chemical incinerator equipped with an after burner and scrubber, but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations.

Section 14: Transport Information

DOT:

Proper Shipping Name: Sodium dithionite (or) Sodium hydrosulfite
Hazard Class: 4.2
Identification Number: UN1384
Packing Group II
Hazard Label: Spontaneously combustible

IATA:

Proper Shipping Name: Sodium dithionite (or) Sodium hydrosulfite
Hazard Class: 4.2
IATA UN Number: UN1384
Packing Group: II
Hazard Label: Spontaneously combustible

Section 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

U.S. Federal Regulations	
OSHA Hazards	Irritant
SARA 311/312 Hazards	Acute Health Hazard, Chronic Health Hazard
Toxic Substances Control Act (TSCA)	
<hr/>	
U.S. State Regulations	
California Proposition 65	Reproductive Toxicity to both males and females
<hr/>	
International Regulations	
DSL Status	Some components of this product are on the Canadian DSL or NDSL lists.
<hr/>	
European Union (EU)	
Regulation (EC) No 1272/2008	Classification, labelling and packaging of substances
Directive 98/79/EC	In Vitro Diagnostic Medical Devices and mixtures

15.2 Chemical safety assessment: For this mixture, a chemical safety assessment has not been carried out.

Section 16: Other

This product is intended for use as supplied.

To the best of our knowledge, the information contained herein is accurate. However, Streck assumes no liability whatsoever for completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of preparation/ last revision: June 27, 2024